Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Cal. Acer Grayi
foliis elongatis
fruct pedicellatis

Nov 4 1864

New York

August 1864



nat size

x 30

young fruit

22 x 24
30
= 0.7 x 0.8
mm



x 10

826

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Callitriche

June 25 1864

(terrestris)

. autumnian Bottom Isley 1845

827

×30



stigma

×150

upper 4th or 3rd

of style stigmatic

abortive stamen

& ovule –

ovule usually small

or absent

×10

×30

×30

$\frac{25 \times 22}{30} = 0.8 \times 0.7$ mm

styles breaking off = dry specimen?



roughness of ovule

– surface ×150 no

rather reticulate!

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cacciatrichia

June 26 1864

Little manuelle AR 1835

$\frac{23 \times 23}{30} = 0.8 \times 0.8$ m.m.

X30



X10

fruit not ripe

lateral veins very indistinct

no styles seen on yg fruits observed — specimens poor — emarginateion of fruit very marked — bulging out at base very indistinct.

828

0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved

MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS





Collibrichi Arci Fungi 829 Octob 9 1864

„C. Getarea"

„Cantharellus cinereus" Ref. exsicc. coniferis

f. de Brun.

forma robusta autumnalis

post. inundat. (sterilis?)

$\frac{24 \times 25}{30} = 0.8 \times 0.8$ mm

MISSOURI BOTANICAL GARDEN
St. Louis, MO
ICH



ICH.
RMACEUTIST
live Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Cell. with Asc. Gray. Aug 9 1864

Mead, Augusta Helen (Herbert)

Senna Lindheimeriana var. micrantha

21 × 22 / 30 = 0.7 × 0.7 mm

830

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

L. CEURST
St Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Calathea Asae Grayi Oct 10 1864

submersa Linearis

×30





"C. linearis"

Florida Angel

– 46 H.D. Mission

$\frac{21 \times 21}{30} = 0{,}7 \times 0{,}7$ mm

×30

pistill with abortive style without anthers

abortive anthers with anthers

anthers in submersed plants always abortive, but usually with small knots, while the pistils are most frequently knotless — often no anthers at all

831

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Callitriche

832 Oct 8 1864

Wright Texas ÷ Hb Gray

aquatica herb.

$\frac{18 \times 21}{30} = 0.6 \times 0.7$ mm

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Allitura Asa Gray Oct 8 1864

forma heterophylla elongata

Connecticut, Eaton Co

Herb Gray

×30

$\frac{24 \times 20}{30} = 0{,}8 \times 0{,}7$ mm

833

MISSOURI BOTANICAL GARDEN - GEORGE ENGELMANN HERBARIUM

0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved

MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Calla Asa Gray
Cuti-folii aquatica

Octo 2 1864

Athens Ga. E Hale 1861

× 150



very young anther, a
with 2 cells, bb
and an extremely
yng pistill p
and the rudiments
of 2 stigmata

834

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Callirhoe Arnoggii Oct 5 1864
Athens Ille. S Hall



Sect of fruit
× 150

835

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

ALEX. LEITCH,
APOTHECARY & PHARMACEUTIST,
Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6
12 300



836

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH.

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Coll. Ange Gugi
van Cleave's

Nov 4 1862

Brooklyn N.Y.

Cadwalader Co. 1864

×30

23 × 21 / 60 mm

24 × 22 / 60 mm

0.8 × 0.7 mm

837

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

ALEX. LESCHEN,
SUCCESSOR TO
LESCHEN & DEHARTY
DRUGGISTS & PHARMACEUTISTS
Manufacturers of Leschen's Pharmaceutical Preparations
Cor. Fourth & Olive Sts. St. Louis, Mo.

Coll. Asa Gray Dec 5 1864

Palisades Aug 1 1864

×286

×150

stellate hair

838

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Pitch,

& CHEMIST.

s., St. Louis.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Alabama Buckley

March 16 1861

Calc. heterophylla

i Hale Torrey

forma brevifolia

22 x 20

= 0.8 x 0.7

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

839

MISSOURI BOTANICAL GARDEN
cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St Louis, Mo.

838

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
MISSOURI BOTANICAL GARDEN
copyright reserved

Call. heterophylla

March 16 1865

forma subsessilis Cowania

Deerfield Mass

in Mt Tom

840



23 × 20
30

= 0.8 × 0.7 mm



24 × 24
30

0.8 × 0.8 mm

fruit from same specimen

MISSOURI BOTANICAL GARDEN LIBRARY
Saint Louis • Ohio • Missouri • Established 1859

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cell. tuberculata

Mont

forma genuina

Branch of Adams River, Texas

Ch.s Wright

– 46 Texas



0.8 x 0.8 mm

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN

841

cm
0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Callitriche Asa Gray i submersa
Athens Ill. E Hall
Octob 4 1864

842

fem flower ×60

small bract usually wanting

rudimentary style

rudimentary stamen ×60

×30 fil

$\frac{23 \times 21}{30} = 0.8 \times 0.7$ mm

stam. + bract

pistil + fertile

×60

fem. fls before anthesis

×10

leaf of usual length

longest leaf

stamen + pistil abortive

over

probably the lowest quite submerged fem fl. sterile
and with t styles: fully formed fruits seem empty.
upper flowers probably fertile; fruit with well developed
embryo — anthers always sterile

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

ALEX. LETICH.
APOTHECARY & PHARMACEUTIST.
Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Callitriche Austini

March 14 1865

Louisiana Dr Hale in Hort Torrey

x 30

other specimens have pedunculus of ordinary length

wet woods
Ohio Lea
in Hort Torrey

843

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH.

APOTHECARY & PHARMACEUTIST.

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

843A

25-30

interrupted descent and ascent took place from January to December, we find in 1862 some interruptions in the steps of that ladder. The electricity in February, 1862, is about four degrees higher than that of January, April somewhat higher than March, and July is the lowest instead of September in 1861. These trifling irregularities may be accounted for by differences in temperature and relative humidity, and by a greater number of thunderstorms in 1862. January of 1862, for instance, was so unusually rainy, that its relative humidity too was unusually high, diminishing thus electricity. But the general features of distribution of electricity throughout the year are apparent in both years, and we may in that respect divide the twelve months of each year into two or three groups. Computing the months which give the highest electricity and those which give the lowest in each year, we find that in both years the months of January, February, March, April, November and December exhibit the highest, and the months of May, June, July, August, September and October the lowest electricity. The first group gives

The aggregate monthly mean of	71.5	degrees of	electricity	in 1861
and	74.6	"	"	" 1862
While the second group gives	29.0	"	"	" 1861
and	25.7	"	"	" 1862

The second group prevailed therefore in 1861, and the 1st in 1862.

Or we may divide the twelve months of each year into three groups. The first group with the highest electricity is formed by the months of January, February, November and December; the second with a mean electricity by the months of March, April, May and October; and the third with the lowest electricity by the months of June, July, August and September.

The aggregate monthly mean of

The first group in 1861 is	52.9	—in	1862,	54.6
The second " "	33.5		"	35.2
The third " "	14.1		"	10.5

Thus in 1861 the third group prevailed, and in 1862 the first and second. But these differences are so well balanced throughout the year, that the mean of the whole year in 1861 and in 1862 is exactly the same, namely, 8.4. Such an identity in the yearly result, even to decimals, is of course not to be expected every year; but it seems to prove, at least, that the yearly mean of electricity is as constant as that of temperature, of relative humidity, and of atmospheric pressure.

The third table, showing the daily periodicity of atmospheric electricity, confirms the daily two maxima and two minima of electricity as an undeniable fact.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

VI. The appearance of negative electricity was connected in

1861. No. times.	1862. No. times.	
30	32	with thunderstorms.
23	28	with rains without thunder and lightning.
20	4	with dry storms (without rain and without thunder and lightning).
4	3	with snow.
1	0	with fog.
78	67	

VII. *Relation of Rain and Snow to Electricity.*

Rain without thunderstorm was accompanied

	By Positive Electricity.		By Negative Electricity.		By no Electricity.	
	In 1861.	In 1862.	In 1861.	In 1862.	In 1861.	In 1862.
January	7	5	3	2		2
February	2	1	4	1		
March		5	6	4		
April	8	6	7	11		1
May	10	7	1	1	3	1
June	7	1				3
July	2	4				3
August	3		1		1	2
September	4			1	4	8
October	3	1	1	1	7	1
November	2	3		7		7
December	2	3				6
	50 + el.	36 + el.	23 — el.	28 — el.	15 no el.	34 no el.

Snowing was accompanied

	By Positive Electricity.		By Negative Electricity.		By no Electricity.	
	In 1861.	In 1862	In 1861.	In 1862.	In 1861.	In 1862.
January	3	9		2		
February	12	8		1		
March	3	12				
October		1				
November		4				
December	5	2	2			1
	23 + el.	36 + el.	2 — el.	3 — el.		1 no el.

REMARKS.

The monthly mean of atmospheric electricity in 1862 was not quite so regular as that in 1861. While in 1861 an un-

6/115
2.0
MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

×30

Callirhoe Engelhardtii Austin
C. reflexa Aden— ap. Hegelm

Hoboken, Austin

June 1864

844

style, shorter than fruit; subpersistent petals or removed







reticulate seed, with pale pits

Memphis
Fenton



Fayetteville Arkansas

diam. 20–22 mm } Avid
hight 15–16 mm } by 30
Thickness 8 mm

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Sept 14th

Calliandra

South America

Baldwin

ex Hort Schweinitz

= Hort Andr Rich

x30



Branch

845

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Callicratha Austini

Nov 6. 1864

Palisades N.Y. Austin 1864

x 150



x30

$\frac{21 \times 16}{30}$

$= 0.7 \times 0.5$ mm

x60



x150

x280

x570

(Dec 5)

Surface parenchyma of acerose granules _ cells with or without small crystals; various system of cross fibres, isolated where the cells are torn off — what is it?

They are the fibre cells of the

846

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Alex. Leitch,

APOTHECARY & CHEMIST,

Cor. 4th & Olive Sts., St. Louis.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN